

COMPREHENSIVE PPE SOLUTIONS FOR ALL YOUR SAFETY NEEDS



Looking ahead, we remain steadfast in our mission to enhance safety standards and promote a safer world.

Our products are certified by accredited, independent third-party laboratories to ensure that our products meet the specified performance criteria imposed by the international standards: Oeko-Tex 100, EN ISO 20471, ANSI/ISEA 107, EN 469, NFPA 2112, NFPA 1971, NFPA 701, ASTMF 1506, CSA-Z96, AS/NZS 1906, ISO9001 & ISO14001, DIN 67510-part 1 certificate

Our extensive range of Reflective Safety Products includes a variety of innovative solutions. Among our offerings are Reflective Fabric, Reflective Tape, Fire Retardant Reflective Fabric, Reflective Transfer Film, High Gloss PVC Reflective Tape, Reflective Safety Vests, Reflective Safety Jackets, and a wide array of other reflective applications. These products find widespread usage in personal safety applications, offering enhanced visibility and protection to individuals working in hazardous environments or engaging in outdoor activities.

Recognizing the surging market demand for safety equipment and outdoor activity gear, we took a proactive step in 2015 by integrating advanced market resources.

This strategic move allowed us to establish a comprehensive ONE-STOP-SHOP network, catering to the needs of various industries including industrial safety, road safety, personal safety, and outdoor sports products. Includes head protection, eyes protection, hand protection, foot protection, body protection, and fall protection. This network provides a seamless platform for customers to access a diverse range of high-quality safety products, ensuring convenience and efficiency in meeting their requirements.

As a testament to our unwavering commitment to quality and customer satisfaction, **we have** successfully exported our safety products to more than 50 countries worldwide. Our extensive global reach is a result of our dedication to delivering reliable and innovative safety solutions to customers across different regions and industries. We strive to continually improve our product quality, leveraging advanced market resources, and striving to create maximum value in the global safety and outdoor sports markets.


By continually refining our product offerings, integrating the latest advancements in technology, and working closely with our valued customers, we are well-positioned to meet the evolving needs of the personal safety and industrial safety sectors.

Through our continuous efforts, we aim to establish <code>ourself</code> as a trusted partner and a symbol of excellence in the global safety industry, providing superior products that protect and save lives, and enabling people to work and enjoy outdoor activities with peace of mind.

What kind of customers

- Customers are typically large businesses that prioritize stable quality in their purchases. They value consistency and reliability in their suppliers, and our company is able to meet their needs with our high-quality products and strict quality control measures, ensuring stabilityand reliability in every transaction.
- Customers are usually small businesses or individuals who are looking for a smaller minimum order quantity. They may not need to purchase large quantities of products, but still require high-quality items and reliable service. Our company is able to accommodate their needs with our flexible ordering options and commitment to quality.
- Customers are those who require a wide variety of products, but in smaller quantities, we offer a one-stop solution for all their needs. Our comprehensive range of products and flexible payment options makes it easy for them to purchase everything they need without compromising on quantity or quality
- Customers are those who require financial support to make purchases. We also understand the importance of building long-term relationships with our clients. Our flexible and liberal payment methods allow us to support reputable customers who may need financial assistance. We believe that by nurturing these relationships, we can create a win-win situation both for clients







EXTRA COVERAGE

Safety Helmet

NT-P1

- High Density Polyethylene (HDPE)Rolled brim and earmuffslotsANSIZ89.1:2003

- TYPE I Class G&C

Full Brim Hard Hat

NW-H1

- High Density Polyethylene (HDPE)4-point ratcheting suspension
- ANSI/ISEA Z89.1-2009 Type I Class E,G& C

POPULAR COLORS













▲ NW-H1

SLEEK DESIGN

Safety Helmet

NT-N1

- ABS 5 air hole at the top ends ANSI/ISEAZ89.1-2014 Type I Class E,G& C

Safety Helmet

GW-W1

- PC/ABS
- Protective impact foam
- ANSI Z89.1
- TYPE I Class C120

POPULAR COLORS















▲ GW-W1

STYLE	CLASS	TYPE	ANSI Z89.1	CSA Z94.1-15	SHELL MATERIAL	SUSPENSION	AVAILABLE COLORS
NT-N1	Class E,G& C	1	\checkmark	√	ABS	4-point	WHITE, YELLOW, GRAY
NW-H1	Class E,G& C	1	\checkmark	\checkmark	HDPE	4-point	BLACK,RED,ORANGE
GW-W1	Class C	1	\checkmark	\checkmark	PC/ABS	4-point	ROYAL BLUE, GREEN
NT-P1	Class G & C	1	\checkmark	\checkmark	HDPE	4-point	HI-VIS ORANGE/YELLOW

04/





NT-E1

- High Density Polyethylene(HDPE)
- 4-point Suspension System
- Colors:White/Black or customize
- CE EN397:2012



HF-14

- Strong ABS Plastic Out Shell
- G-point Suspension System
 Colors:White/Black or customize

- CE EN397:2012 ANSI/ISEA Z89.1-2014 Type I Class C



HF-061

- Strong ABS Plastic Out Shell
- 6-point Suspension System
- Colors:White/Red/Blue or customize
- CE EN397:2012 ANSI/ISEA Z89.1-2014



HF-06S

- Strong ABS Plastic Out Shell
- 6-point Suspension System
- Colors:White/Red/Blue or customize
- CE EN397:2012 ANSI/ISEA Z89.1-2014 Type I Class C



HNB-7

- Strong ABS Plastic Out Shell
- 6-point Suspension System
- Colors:White/Red/Yellow or customize



HNB-3

- Strong ABS Plastic Out Shell
- 6-point Suspension System
- Colors:White/Red/Yellow or customize



HF-26

- PC transparent brim design
- 6-point Suspension System
- Colors:White/Orange or customize
- CE EN397:2012 UKCA



HNB-9

- Strong ABS Plastic Out Shell
- 6-point Suspension System
- Colors:White/Red/Yellow or customize

05/



FORESTRY PROTECT

Face Shield

HM-5013(MESH) HM-5014(PC)

- Kickstand adopts ABS material
- Buckle and collapsoble band design fits perfectly to various helmets
- Flip up to adjust 4 viewing angles

Face Shield

HM-5001A(MESH) HM-5001C(PC)

- Kickstand adopts ABS.Aluminum material
- Face shield can choose PC,PVC or Steel mesh
- Buckle and coliapsible band design fits perfectly to various helmets
- Flip up to adjust 4 viewing angles

POPULAR COLORS















INDUSTRIAL

SHIELD

Face Shield

HM-5002A

can choose PC or PVC

- Certified by CE EN166:2001

HM-5004A

- HDPE headgear,face shield - HDPE headgear,face shield can choose steel mesh

- Certified by CE EN1731:2006

Face Shield

HM-5006

- PMMA mounded with excellent viewing
- Ratchet adjustment suspension with sweatband for improved comfort
- Certified by

CE EN166:2002

POPULAR COLORS



Green










▲ HM-5002A





06/



ADVANCED LENS TECHNOLOGIES IN SAFETY EYEWEAR

This section contains important PPE related to eye and face protection. These products are designed to help shield your eyes and face from impact, debris, dust, splashes and other potential hazards that could present severe injury to the eyes and face. HIGHVIZ provides a comprehensive line of solutions for safety eyewear needs.

STANDARDS

ANSI/ISEA Z87.1 AND CSA Z94.3

- > Prescribes the design, performance specifications and marking of eye and
- face safety products

 > Testing Includes:

 Basic and high impact for lenses and frames
 - UV light transmittance
 - Resistance to flammables and corrosion
 - Optical quality

PRODUCTS

Full Rim – Popular styling for outdoor construction work

Semi-Rimless – Wraparound styling with improved peripheral vision and all-day comfort

Rimless – Lightweight designs with unobstructed peripheral vision and ergonomic fit

Foam Lined - Sealed to keep out dust and airborne particles

Over-the-Glass – Designed to fit over prescription eyewear

Goggles – Help provide protection from projectiles, impact and liquid splash









CHEMICAL SPLASH

UV LIGHT AND **BRIGHT GLARE**





HEAT AND SPARKS

PARTICULATES



ENHANCED FEATURES



HMB10S

Meets ANSI Z87.1+Standards

- Lens:ClearFlame:Black
- Extendable Temples
- Extendable, Ratcheting Temples
- Integrated Side ShieldsNylon Frame with Brow GuardScratch Resistant Polycarbonate Lens



HMB20S

Meets ANSI Z87.1+Standards

- Lens:Grey Flame:Black
- Extendable TemplesExtendable, Ratcheting Temples
- Integrated Side Shields
- Scratch Resistant Polycarbonate



HC10S

Meets ANSI Z87.1+ Standards

- Wrap-Around Style with Brow Guard Integrated/Vented Side Shields
- Designed to fit over prescription glassesUncoated or Coated (Scratch Resistant)
- Jumbo Sizes AvailableProvides 99.9% UV Protection



HC20S

Meets ANSI Z87.1+ Standards

- Wrap-Around Style with Brow Guard
- Integrated/Vented Side ShieldsDesigned to fit over prescription glasses
- Uncoated or Coated (Scratch Resistant)
- Jumbo Sizes Available
- Provides 99 9% LIV Protection



HHB20S

Meets ANSI Z87.1+ Standards

- Dual, Gray, Wrap-Around Lens
- Black Frame
- Spatula temple design
- Integrated nose piece
- Scratch-resistant polycarbonate lens
- Provide 99.9% UV protection



HHB30S

Meets ANSI Z87.1+ Standards

- Dual, Amber, Wrap-Around LensAmber, Frosted FrameSpatula temple design

- Integrated nose pieceScratch-resistant polycarbonate lens
- Provide 99.9% UV protection



INNOVATIVE DESIGN



HPG06

Meets ANSI Z87.1+Standards

- Amber, Wrap-Around Lens
- PC+PA Lens width=147mm,weight=24.7g thickness=1.9mm
- Anti-fog&Anti-scratch
- Provide 99.9% UV protection



HPG07

Meets ANSI Z87.1+Standards

- Amber or Black, Wrap-Around Lens
- PC+PA Lens width=147mm,weight=24.7g thickness=1.9mm
- Anti-fog&Anti-scratch
- Provide 99.9% UV protection



HPG11

Meets ANSI Z87.1+ Standards

- Grey or Amber, Wrap-Around Lens
 PC Frame, PC Lens
- Width-140mm,weight=16.8g thickness-2mm
- Anti-fog&Anti-scratch
- Provide 99.9% UV protection



HPG12

Meets ANSI Z87.1+ Standards

- Grey or Amber, Wrap-Around Lens PC Frame, PC Lens
- Width-140mm,weight=16.8g thickness-2mm
- Anti-fog&Anti-scratch
- Provide 99.9% UV protection



HD₁₀

Meet ANSI Z87.1+Standards

- Clear PVC Frame Elastic Straps
- Perforated Ventilation
- ANSI D3 & D4 Rated
- Scratch-resistant polycarbonate lens
- Provide 99.9% UV protection
- Soft and flexible compact frameAn elastic strap and indirect ventilation



HD₂0

Meet ANSI Z87.1+Standards

- Clear PVC Frame
 Elastic Straps
- Indirect Ventilation
- ANSI D3 & D5 Rated
- Scratch-resistant polycarbonate lens
- Soft and flexible compact frameAn elastic strap and indirect ventilation
- Provide 99.9% UV protection

CHEMICAL ACTIVITIES



HJ61A

Sleek and ultra light weight

- wraparound lens
 Suits a variety of face shapes
 Medium Impact protection
 Hard coat lens for Anti-Scratch
- 99.9% UV protection
- Two kind of arms options
- Available in

Clear & Smoke lens color's



HJ61

Sleek and ultra light weight

- wraparound lens
 Suits a variety of face shapes
 Medium Impact protection
 Hard coat lens for Anti-Scratch
- Two kind of arms options
- Available in

Clear & Smoke lens color's



HJ33A

Optical Class 1 for high optical clarity to allow prolonged,

- comfortable wear
 Medium Impact protection
- 99.9% UV protectionAnti-fog&Anti-scratch
- Polycarbonate lens offers excellent impact resistance with Anti-scratch coating for improved durability



HJ33

Optical Class 1 for high optical clarity to allow prolonged,

- comfortable wear
 Medium Impact protection
- 99.9% UV protectionAnti-fog&Anti-scratch
- Polycarbonate lens offers excellent impact resistance with Anti-scratch coating for improved durability



HJ52

Optical Class 1 for high optical clarity to allow prolonged, comfortable wear · Medium Impact protection

- 99.9% UV protection
 Hard coat lens for Anti-Scratch
- Anti Fog Coating Technology Polycarbonate lens offers excellent impact resistance with Anti-scratch coating for improved durability



HJ69

Optical Class 1 for high optical clarity to allow prolonged,

- comfortable wear
 Medium impact protection
- 99.9% UV protection
 Hard coat lens for Anti-Scratch Lens and Anti Fog Coating Technology
 - Polycarbonate lens offers
 excellent impact resistance with Anti-scratch coating

for improved durability





HPRD01

- Metal-Detectable, TPR Earplugs
- Blue, 4 Flange-Shaped Blue, Metal-Detectable PVC Cord



HPFC01

- Corded Orange Foam Polyurethane (PU)
- Noise Reduction Rating: 33 Decibels



HPRU01

- Hi-Vis Lime, TPR Earplugs
- 4 Flange-Shaped



HPFU01

- Orange Foam Polyurethane (PU) - Noise Reduction Rating: 33 Decibels

HP4102

- Banded round shape earplugs
- Noise Reduction Rating: 29 Decibels



HP4101

- Banded bell shape earplugs
- Noise Reduction Rating: 30 Decibels



HCPE01

- Noise Cancelling Headphones for Kids
- ABS & steel construction
- Rated 21dB NRR (ANSI S3.19-1974), 27dB SNR (CE EN352-1), age 3-16, and it's toxin-free



HCPE02

- 360 swivel earmuff cup
- NRR:21dB /SNR:27dB noise reduction ability - Stainless steel wire for easy personalized
- fit adjustment
 Padded headband and ear cups
- for extended comfort

NOISE REDUCTION



HM-5001B

- Folding headband and ear cups for extended comfort
- NRR:26dB /SNR:32dB noise reduction ability
- Stainless steel wire for easy personalized fit adjustment
- Unique shell design guarantee offer high noise Reduction Rating



HM-5006

- Padded headband with trim and ear cups for extended comfort
- NRR:27dB /SNR:32dB noise reduction ability
- Stainless steel wire for easy personalized fit adjustment
- Unique shell design guarantee offer high noise Reduction Rating



HM-5003A

- Double layer plastic Headband
- NRR:23dB /SNR:29dB noise reduction ability
- Available in high visibility colors
- Generous space inside cup to help the ears breathe thus



HM-5003

- Double layer plastic Headband
 NRR:23dB /SNR:29dB noise reduction ability
- Available in high visibility colors
- Generous space inside cup to help the ears breathe thus



HM-5001D

- 25mm/30mm adaptor plug option
- NRR:26dB /SNR:30dB noise reduction ability
- Stainless steel wire for easy personalized fit adjustment
- Unique shell design guarantee offer high noise Reduction Rating



HM-5003D

- 25mm/30mm adaptor plug option NRR:27dB noise reduction ability
- Soft and wide sealing rings filled with a unique combination foam to offer optimum sealing and low pressure

ONE STOP OF PERSONAL PROTECTIVE EQUIPMENT HAND PROTECTION GOOD DURABILITY, GOOD GRIP FOR HIGH DEXTERITY HANDLING Anti-Cut Gloves/Welding Gloves/Dipping Gloves/Canvas



7004-01

- PVC double dipped sandy gloves
- Color Red or Orange



7004-08

- High quality natural latex
- Good sealing, no water seepage



7003-01

- Nitrile Rubber material - Textured surface
- Non-slip,oil resistant



7004-07

- Natural Latex Material - Wear-resistant. water and dirt resistant



7004-03

- Coating with blue PVC material - Lining Cotton or



7004-09

- Natural Rubber Latex Material
- Color Black&Orange
- Chemical Resistant



ANSI

A5

7005-01

- Hi-Vis Yellow HPPE/ Glass/Steel Shell Red, Sandy Nitrile Palm Coating



ANSI

Polyster

A5

7005-02

- Orange,HPPE/ Glass/Steel shell
- Black, Foam, Nitrile Palm Coating



ANSI

A4

7005-03

- White, HPPE Shell - Gray, PU Palm Coating



7007-01

- Aramid/Cotton shell Split-Cowhide Leather
- Palm
 Sewn with Aramid/cotton Thread



7009-01

- Gray, Premium, Spun Polyester Shell
- Blue, Crinkle-Finish, Latex Palm Coating



7100-01

- White 10-gauge cotton/ polyester Shell
- Black PVC dotted



HAND PROTECTION GOOD DURABILITY, GOOD GRIP FOR HIGH DEXTERITY HANDLING

Anti-Cut Gloves/Welding Gloves/Dipping Gloves/Canvas G



7101-01

Premium, Nitrile Palm Coated Smooth Finish

- Jersey Lining & Knit Wrist



7101-02

Premium, Full-Nitrile Palm Coated

- Smooth Finish
- Jersey Lining & Safety Cuff



7004-02

PVC coated polycotton knitted

- Lining Polyster
- Chemical-Resistant



7104-01

Driver's gloves in goatskin

- 2-finger model
- Blue fabric on the back



7103-03

Gold second layer cowhide

- Horizontal finger model - No lining,
- herringbone elastic
 Ragged edges



7103-02

- Unlined
- Hi-Vis Orange Mesh Back
- Lime Reflective Tape



7105-01

- Russet Leather
- Yellow Canvas
- Gunn Cut & Rubberized Safety Cuff



7105-02

- Blue/Red Striped Fabric - Gunn Cut & Rubberized Safety Cuff



7105-03G

- Green/Red Striped Fabric - Gunn Cut
- Rubberized Safety Cuff



7106-01

Reinforced Palms with Wing Thumb excellent dexterity - Aramid Sewn with Fully Welted Seams Full Sock Lining with Foam



7106-02

Wing Thumb

- Fully Welted Seams
- Full Sock Linings



7106-04

Wing Thumb

- Palm and finger reinforcement
- Full Sock Lining/Artificial wool





RJ011

- Sweatshirt Jacket

 Orange or Lime

 300g Polyester Fleece Fabric

 2" Reflective Tape & Mic Tabs

 Black Knit Wrists & Pouch Pockets

 Side Chest Pocket with Zipper



RJ010

- Bomber Jacket

 Orange or Lime PU-Coated 300-Denier Polyester Shell

 Zip-Out Fleece Lining

 Concealed, Detachable Hood

 2' Reflective Tape & Mic Tabs

 7 Pockets: Chest, Cell Phone, Inside/Outside



RW001

Lime Raincoat PU-Coated 300-Denier Polyester Shell
- Ployester mesh Lining
- Concealed Hood
- 1.5° Reflective Tape

- 2 Pockets



RW002

Lime Raincoat PU-Coated 300-Denier Polyester Shell
- Ployester mesh Lining
- Concealed Hood
- 2* Reflective Tape
- Black Front Panels

- 2 Pockets



WATERPROOF MATERIAL



HR001

High visibility raincoat

- Orange or Yellow
- Durable raincoat fabric (100% polyester) with PVC coating, density 225 g/sqm
- Water resistance not less than 5000 mm of water column
- 2" Reflective Tape
- Two Pocket TP TC 019/2011 TR TS 019/2011



HR002

High visibility raincoat

- Orange or Yellow
- Nylon PVC coated 0.38mm
- Durable raincoat fabric (100% polyester) with PVC coating, density 250 g/sqm
- Water resistance 8000-10000 mm of water column
- 2" Reflective Tape
- Two Pocket Process: High-frequency welding



HR003

Waterproof raincoat

- 100% Polyster+PVC coating
- Fabric density 185g/sqmLining:40g mesh fabric
- Two Pocket
- Zipper Closure TP TC 019/2011 TR TS 019/2011



HR004

Waterproof raincoat

- Camouflage
- Camounage
 100% Polyster+PVC coating
 Fabric density 225g/sqm
 Lining:40g mesh fabric
 Two Pocket
 Zipper Closure

- Water resistance 5000 mm of water column



HR005

High visibility raincoat

- Orange or Yellow
- Durable raincoat fabric (100% polyester) with PVC coating, density 225 g/sqm
 Water resistance not less than 5000 mm
- of water column
- Lining:40g mesh fabric
- 2" Reflective Tape
- Two Pocket

TP TC 019/2011 TR TS 019/2011



HR006

- Navy Blue Nylon PVC coated 0.38mm
- Durable raincoat fabric (100% polyester) with PVC coating, density 280 g/sgm.
- Water resistance 8000-10000 mm of water column
- 2" Reflective Tape
- Two Pocket

Process: High-frequency welding





C2511

- FR Safety Vest
 Lime Modacrylic Mesh
 Heat Applied Reflective Tape
 Hook & Loop or Zipper Closure
 D-Ring Acces
 3 Pockets: 1 Inside Lower,
 1 Outside Chest, 1 Outside Lower



C2512

- FR Safety Vest
 Lime Modacrylic Mesh
 Heat Applied Reflective Tape
 Hook & Loop or Zipper Closure
 D-Ring Acces
 3 Pockets: 1 Inside Lower,
 1 Outside Chest, 1 Outside Lower



C2502

- Salety Vest
 Orange or Lime Solid Fabric
 2" Siliver Sewn Reflective Tape
 Hook & Loop or Zipper Closure
 3 Pockets: 1 Inside Lower,
 1 Outside Chest, 1 Outside Lower
 3-Division Pen Pocket & Mic Tab



C2513

Safety Vest

- Salety Vest
 Orange or Lime Polyester Mesh Fabric
 2* Silver Sewn Reflective Tape
 Zipper Closure
 6 Pockets: 2 Inside Lower, 2 Outside
 Chest, 2 Outside Lower (Outside Pockets
 include Hook & Loop Closures)



C2516

- Lime or Orange Polyster Knitted /Mesh Fabric 2"Silver Sewn Reflective Tape

- Color can customize
- Logo can customize



C2517

- Elastic adjustable tape Color:Green/Orange/Pink/Red or customize Single package size 13*10*5cm



C2518

Safety Vest For Children

- Lime or Pink Polyster Knitted /Mesh Fabric 2" Silver Sewn Reflective Tape
- Adjustable pvc stripe
 Color can customize
 Logo can customize



C2519

- Lime or Orange Knitted Fabric
 Customized Logo Accepted
 None sewing,iron on heat tranfer film
 Size 34 * 36cm





TS701

- Short Sleeve Shirt
 Orange or Lime
 Birdseye Mesh Fabric
 Moisture Wicking
 Chest Pocket



TL701

- Long Sleeve Shirt
 Orange or Lime
 Birdseye Mesh Fabric
 Moisture Wicking
 Chest Pocket



TS702

- Short Sleeve Shirt
- Orange or Lime
 Birdseye Mesh Fabric
 Moisture Wicking
 2" Silver Reflective Tape
 Chest Pocket



TL702

- Long Sleeve Shirt
 Orange or Lime
 Birdseye Mesh Fabric
 Moisture Wicking
 2" Silver Reflective Tape
 Chest Pocket



TS703

Short Sleeve Shirt

- Orange or Lime
 Moisture Wicking Mesh Fabric
 2* Silver Reflective Tape
 Black Front Panels
 Chest Pocket



TL703

- Long Sleeve Shirt

 Lime Birdseye Mesh Fabric

 Moisture Wicking

 2" Silver Reflective Tape

 Black Front Panels

 Chest Pocket



TS461

Short Sleeve Shirt

- Ultralight Orange or Lime
 Polyester/Spandex Stretch Fabric,
 Comfort stretch
 Perforated Panels in High Perspiration Areas
- Segmented Reflective Tape



TL461

- Long Sleeve Shirt
 Ultralight Orange or Lime
 Polyester/Spandex Stretch Fabric,
 Comfort stretch
 Perforated panels in High perspiration Areas
 Segmented Reflective Tape



TS471


- Short Sleeve Shirt
 Ultralight Orange or Lime
 Polyester/Spandex Stretch Fabric,
 Comfort stretich
 Gray V-Neck & Side Panels
 Segmented Reflective Tape



TL471

- Long Sleeve Shirt
 Ultralight Orange or Lime
 Polyester/Spandex Stretch Fabric,
 Comfort stretch
 Gray V-Neck & Side Panelsas
 Segmented Reflective Tape







HV-2792

ENHACED DURABILITY,
PROTECTIN AND COMFORT

MEN'S WIDENED CLADDING HEAD GOODYEAR SOFT TOE BOOT

HV-2792

- Classic welt construction combined with iconic flat sole provides superb stability
- No heel and soft sole for sure footing
- Shallow lug pattern doesn't pick up mud
- With its Goodyear welt construction
- Iconic flat-bottomed soles, hallow lugs
- Ideal for heavy-duty work
- Ideal for ironworkers, carpenters and other high environment trades where you need to be solidly on your feet











INCREASED SUPPORT AND CPMFORT





HV-7928

Upper Material:Leather

- Sole Material:Rubber
- Process: Cold bondingFunction:Anti-Smash& Anti-puncture
- Size:39-44



HV-0424

Upper Material:Leather

- Sole Material:Rubber
- Process: Cold bonding
 Function:Anti-Smash& Anti-puncture
- Size:39-44



HV-2792

Upper Material:Crazy-horse leather

- Sole Material:PU
- Process:PU injectionFunction:Anti-Smash& Anti-puncture
- Size:39-44



HV-2009

Upper Material:First layer NUBACK

- Sole Material:TPU
- Process:PU injection
- Function:Anti-Smash& Anti-puncture
- Size:39-44



HV-N001

Upper Material:Full-grain leather

- Sole Material:TPU Process:PU injection Function:Anti-Smash& Anti-puncture
- Size:39-44



HV-5656

Upper Material:Crazy-horse leather

- Sole Material:PU
- Process:PU injection
 Function:Anti-Smash& Anti-puncture
- Size:39-44



HV-8223

- Uppers:PVC+Specialized materials
 Out sole:PVC+Nitrile
 Ouarter height(AVG.):300mm,330mm, 390mm





HV-8218

- Uppers:PVC+Specialized materials
 Out sole:PVC+Nitrile
 Ouarter height(AVG.):300mm,330mm, 390mm
- Function:Anti-Smash& Anti-puncture

- Size:EUR 37#-47# USA 3#-13#





HV-A180W

Upper Material:Split embossed cow leather

- Sole Material:PU
- Process: PU injectionFunction:Anti-Smash& Anti-Stab
- Size:36-45



HV-R002

Upper Material:Split embossed cow leather

- Sole Material:PU
- Process: PU injectionFunction:Anti-Smash& Anti-Stab
- Size:36-45



HV-R008

Upper Material:Split embossed cow leather

- Sole Material:PU Process:PU injection
- Function:Anti-Smash& Anti-Stab
- Size:36-47



HV-R008L

Upper Material: Split embossed cow leather

- Sole Material:TPU Process:PU injection
- Function:Anti-Smash& Anti-Stab
- Size:36-47



HV-R007

Upper Material:Split embossed cow leather

- Sole Material:PU
- Process:PU injectionFunction:Anti-Smash& Anti-Stab
- Size: 37-47



HV-3170

Upper Material:Split embossed cow leather - Sole Material:PU

- Process:PU injectionFunction:Anti-Smash& Anti-Stab
- Size:36-46



HV-077B

Uppers:Split embossed cow leather - Out sole:PU dual density

- Process:PU injection
- Function:Anti-Smash& Anti-puncture
- Size:36-46



HV-A021

Uppers:Split embossed cow leather

- Out sole:PU dual density
- Process:PU injection
- Function:Anti-Smash& Anti-puncture
- Size:36-46





Anchorage Connectors/Carabiners/Harnesses/Laryards



Construction & Industrial 1231007

Universal size

Certified to ANSI Z359.11-2014

- Leg straps are in different color for easy wear
- One big forging dorsal D ring for better connection and match any foreseeable fall arrest working condition
- Five adjustment positions on shoulder straps, chest strap and leg straps for superior fit
- Two Waist stamping D ring for better work position
- Two lanyard attachments
- Custom design webbing end secure to hang on to when adjusting the straps
- Individually inspected
- Customized webbing color available
 Weight: 1450g



Construction & Industrial 1231007E

Universal size

Certified to ANSI Z359.11-2014

- Leg straps are in different color for easy wear
- One big forging dorsal D ring for better connection and match any foreseeable
- fall arrest working condition

 Three adjustment positions on shoulder straps, chest strap and leg straps for superior fit
- Two Waist stamping D ring for better work position
- Two lanyard attachments
- Custom design webbing end secure to hang on to when adjusting the straps
- Individually inspected
 Customized webbing color available
 Weight: 1100g



Construction & Industrial

1231007E-FD

Certified to ANSI Z359.11-2014

- Leg straps are in different color for easy wear
- One big forging dorsal D ring for better connection and match any foreseeable fall arrest working condition
- High strength webbing more than 27KN(6000lbs)
- Three adjustment positions on shoulder straps, chest strap and leg straps for superior fit.
- Two Waist stamping D ring for better work
- Two lanyard attachments
 Custom design webbing end secure to hang on to when adjusting the straps
- Individually inspected Customized webbing color available Weight: 1150g



Construction & Industrial

1231010

- Meets ANSI Z359.11-2014 - Leg straps are in different color for easy wear
- Four adjustment positions on belt and legs for superior fit
- High strength webbing more than
- 27KN(6000lbs)

 Dorsal & Front special design D ring for reduce
- the danger after fall

 Waist D ring for better work position
- Custom design webbing end secure to hang
- on to when adjusting the straps
 Individually inspected
 Customized webbing color available
- Weight: 1350g





Construction & Industrial 1231000-2

Universal size

Certified to EN 361-2002

- Leg straps are in different color for easy wear
- One Dorsal attachment points to match any foreseeable fall arrest working condition.
- Three adjustment positions on chest strap and leg straps for superior fit
 High strength webbing more than
- 27KN(6000lbs)
- All metal components batch numbered for full traceability
- Custom design webbing end secure to hang on to when adjusting the straps
- Individually inspectedCustomized webbing color available
- Weight: 900g



Construction & Industrial 1231000-3

Universal size

Certified to EN361-2002

- Leg straps are in different color for easy wear
- Two attachment points to match any foreseeable fall arrest working condition
- Three adjustment positions on chest strap and leg straps for superior fit
 High strength webbing more than
- 27KN(6000lbs)
- Custom design webbing end secure to hang on to when adjusting the straps
- Individually inspected
- Customized webbing color available
- Weight: 950g



Construction & Industrial

1232000-2FD

Universal size

Certified to EN361-2002

- Leg straps are in different color for easy wear
- Two attachment points lo match any foreseeable fall arrest working condition.
- Five adjustment positions on shoulder straps, chest strap and leg straps for superior fit - High strength webbing more than 27KN(6000lbs)
- All metal components batch numbered for full traceability
- Custom design webbing end secure to hang on to when adjusting the straps
- Individually inspected
- Customized webbing color available
- Weight: 1150g



Construction & Industrial

1232000-2

Universal size

Certified to EN361-2002

- Leg straps are in different color for easy wear
- One attachment point lo match any foreseeable fall arrest working condition
- Five adjustment positions on shoulder strap, chest strap and leg straps for superior fit
 - High strength webbing more than
 27KN(6000lbs)
- All metal components batch numbered for full traceability
 Custom design webbing end secure to hang on to when adjusting the straps
 - Individually inspected
 - Customized webbing color available
- Weight: 1350g





Construction & Industrial 1231007WG

Universal size Meets ANSI Z359.11-2014

- Leg straps are in different color for easy wear
- One attachment points to match any foreseeable fall arrest working condition
- Six adjustment positions on shoulder straps. chest strap, waist belt and leg straps for superior fit
- Two Waist stamping D ring for better work position
- Two lanyard attachments
 Light weight, moisture wicking and breathable waist padding always keeping the wearer comfortable
 - Shoulder and Leg pads help minimize pressure
- for users
- Grommet adjustment on waist belt & leg straps
- Custom design webbing end secure to hang
- on to when adjusting the straps
 Individually inspected
 Customized webbing color available
- Weight: 2250g



Construction & Industrial 1231007WQ

Universal size

Meets ANSI Z359.11-2014

- Leg straps are in different color for easy wear
- One attachment points to match any
- foreseeable fall arrest working condition.

 Six adjustment positions on shoulder straps, chest strap, waist belt and leg straps for superior fit
- Two Waist stamping D ring for better work
- Two lanyard attachments
- Light weight, moisture wicking and breathable waist padding always keeping the wearer comfortable

 - With grommet adjustment on the waist belt

 - Features with quick release buckle on the

- chest strap & leg straps for easy donning Custom design webbing end secure to
- hang on to when adjusting the straps
 Individually inspected
 Customized webbing color available
- Weight: 2550g



Construction & Industrial

1231007G

Universal size

Certifi ed to ANSI Z359.11-2014

- Leg straps are in different color for easy wear - One big forging dorsal D ring for better connection and match any foreseeable
- fall arrest working condition

 Five adjustment positions on shoulder straps,
- chest strap and leg straps for superior fit Two Waist stamping D ring 1859012 for
- better work position
 Two lanyard attachments
- Grommet adjustment on leg straps
- Custom design webbing end secure to hang on to when adjusting the straps
- Individually inspected
 Customized webbing color available
- Weight: 1700g



1238043

Vertical lifeline with fall arrester Meets ANSI Z359.15-2014

- 5/8" (16mm) three strand rope
- 3.0 ft fall arrester integral with a shock absorber and a snap hook
- Multiple length available: 25-200ft 16KN (3600lbs) gate strength
- Individually inspected
- Customized webbing color available
- Weight: 4900g





1238034M

External energy absorber lanyard Certifi ed to ANSI Z359.13-2013

- Twin legs
- One snap hook on the ends Two scaffolding hooks on both twin legs
- Made of 30mm width webbing
 Total length: 1.8m
- 16KN (3600lbs) gate strength
- Individually inspected
 Customized webbing color available
- Weight: 2750g



1238029M

External energy absorber lanyard Certifi ed to ANSI Z359.13-2013

- Single legs
- One snap hook connect to the energy absorber

 - One Scaffolding hook at the other end

 - Made of 30mm width webbing

 - Total length: 1.8m

- 16KN (3600lbs) gate strength
- Individually inspectedCustomized webbing color available
- Weight: 1700g

1238020M



Single leg

- Two snap hooks on both ends
- Total length: 1.8m 16KN (3600lbs) gate strength
- Individually inspectedCustomized webbing color available
- Weight: 1600g



1238020Y

Internal Energy absorbing lanyard Meets ANSI Z359.13-2013

- Twin legs

- Three snap hooks on the ends
- Total length: 1.8m 16KN (3600lbs) gate strength
- Individually inspectedCustomized webbing color available
- Weight: 1900g



Snap Hook

1239070

Scaffolding steel Hook - Stamping steel

- 100% proof loaded to 3600 lbs / 16 kN Min.Breaking strength: 5000 lbs / 22 kN
- Open width: 65 mm Net weight: 752 g
- Certifi ed to ANSI Z359.12-2009



Snap Hook 1239069

Scaffolding steel Hook

- Forging steel 100% proof loaded to 3600 lbs / 16 kN
- Min.Breaking strength: 5000 lbs / 22 kN Open width: 20 mm

- Net weight: 380g Certified to ANSI Z359.12-2009



